

Composition : Valsartan + Hydrochlorothiazide ; (80mg+12.5mg) & (160mg+12.5mg) Tablet.

Indications : It is indicated for the treatment of hypertension & myocardial infraction with left ventricular failure.

Dosage and administration: A patient whose blood pressure is not adequately controlled with valsartan monotherapy may add hydrochlorothiazide by switching to Cardinal Plus (Valsartan 80mg/hydrochlorothiazide 12.5mg or Valsartan 160mg/hydrochlorothiazide 12.5mg) once daily. The clinical response to Cardinal Plus should be subsequently evaluated and if blood pressure remains uncontrolled after 3-4 weeks of therapy, the dose may be titrated up to valsartan 160mg/hydrochlorothiazide 25mg. Or, as directed by the registered physician.

Pregnancy and lactation : The use of this drug is not advised at the time of pregnancy. Because of the potential adverse effects on the nursing infant, a decision should be made whether to discontinue nursing or discontinue the drug, taking into account the importance of the drug to the mother.

Children : Safety & effectiveness in pediatric patients have not been established.

Side effects : Side-effects are as follows : dizziness, headache, palpitation, diarrhoea, dyspepsia, nausea, abdominal pain, sinusitis, etc may be observed.

Cardival Plus

Film Coated Tablet

Contraindication : This drug is contraindicated in patients with hypersensitivity to any component of this product.

Precautions : In patients with heart failure, concomitant use of valsartan, an ACE inhibitor, and a beta blocker is not recommended.

Hydrochlorothiazide : Thiazide diuretics should be used with caution in patients with impaired hepatic function or progressive liver disease.

Drug interactions : No clinically significant pharmacokinetic interactions were observed when valsartan was coadministered with amlodipine, atenolol, cimetidine, digoxin, frusemide, glyburide, hydrochlorothiazide, or indomethacin.

Packing :

Cardival Plus 80 : 2 x 10's tablets in blister pack.

Cardival Plus 160 : 1 x 10's tablets in blister pack.